

2021 토목시공기술사 1차 정오표 [2021.12.8]

[4. 토질]

페이지	항 목	오	정																																										
224	3. 다짐시험 ①항 표 내용 수정	<table border="1"> <thead> <tr> <th data-bbox="486 286 628 389">다짐방법의 호칭명</th> <th data-bbox="628 286 745 389">래머 무게 (kg)</th> <th data-bbox="745 286 861 389">몰드 안지름 (cm)</th> <th data-bbox="861 286 978 389">다짐 층수</th> <th data-bbox="978 286 1094 389">1층당 다짐횟수</th> <th data-bbox="1094 286 1211 389">허용 최대입경 (mm)</th> <th data-bbox="1211 286 1327 389">몰드의 체적 (cm<sup>3</sup>)</th> </tr> </thead> <tbody> <tr> <td data-bbox="486 389 628 443">A</td> <td data-bbox="628 389 745 443">2.5</td> <td data-bbox="745 389 861 443">10</td> <td data-bbox="861 389 978 443">3</td> <td data-bbox="978 389 1094 443">25</td> <td data-bbox="1094 389 1211 443">19</td> <td data-bbox="1211 389 1327 443">1,000</td> </tr> <tr> <td data-bbox="486 443 628 497">B</td> <td data-bbox="628 443 745 497">2.5</td> <td data-bbox="745 443 861 497">15</td> <td data-bbox="861 443 978 497">3</td> <td data-bbox="978 443 1094 497">55</td> <td data-bbox="1094 443 1211 497">37.5</td> <td data-bbox="1211 443 1327 497">2,209</td> </tr> <tr> <td data-bbox="486 497 628 551">C</td> <td data-bbox="628 497 745 551">4.5</td> <td data-bbox="745 497 861 551">10</td> <td data-bbox="861 497 978 551">5</td> <td data-bbox="978 497 1094 551">25</td> <td data-bbox="1094 497 1211 551">19</td> <td data-bbox="1211 497 1327 551">1,000</td> </tr> <tr> <td data-bbox="486 551 628 604">D</td> <td data-bbox="628 551 745 604">4.5</td> <td data-bbox="745 551 861 604">15</td> <td data-bbox="861 551 978 604">5</td> <td data-bbox="978 551 1094 604">55</td> <td data-bbox="1094 551 1211 604">19</td> <td data-bbox="1211 551 1327 604">2,209</td> </tr> <tr> <td data-bbox="486 604 628 658">E</td> <td data-bbox="628 604 745 658">4.5</td> <td data-bbox="745 604 861 658">15</td> <td data-bbox="861 604 978 658">3</td> <td data-bbox="978 604 1094 658">92</td> <td data-bbox="1094 604 1211 658">37.5</td> <td data-bbox="1211 604 1327 658">2,209</td> </tr> </tbody> </table>	다짐방법의 호칭명	래머 무게 (kg)	몰드 안지름 (cm)	다짐 층수	1층당 다짐횟수	허용 최대입경 (mm)	몰드의 체적 (cm <sup>3</sup> )	A	2.5	10	3	25	19	1,000	B	2.5	15	3	55	37.5	2,209	C	4.5	10	5	25	19	1,000	D	4.5	15	5	55	19	2,209	E	4.5	15	3	92	37.5	2,209	
다짐방법의 호칭명	래머 무게 (kg)	몰드 안지름 (cm)	다짐 층수	1층당 다짐횟수	허용 최대입경 (mm)	몰드의 체적 (cm <sup>3</sup> )																																							
A	2.5	10	3	25	19	1,000																																							
B	2.5	15	3	55	37.5	2,209																																							
C	4.5	10	5	25	19	1,000																																							
D	4.5	15	5	55	19	2,209																																							
E	4.5	15	3	92	37.5	2,209																																							
225	3. 다짐시험 ②항 내용 수정	<ul style="list-style-type: none"> <li>#4체, 통과한 흙을(3kg) Mold에 3~5층 다짐을 한다.</li> <li>시험종류에 따라 각층마다 Rammer (2.5~4.5kg) 자유낙하 시행(H=30cm)</li> </ul>	<ul style="list-style-type: none"> <li>허용최대입경을 통과한 흙을 Mold에 3~5층다짐을 한다.</li> <li>시험종류에 따라 각층마다 Rammer (2.5~4.5kg) 자유낙하 시행(H=30~45cm)</li> </ul>																																										